




## DSC Testing Report for 1,2-Dinitrobenzene

Report #:	ECUST-RCSC-20240919-X11、ECUST-RCSC-20250317-X32		
Institute:	Reactive Chemical Safety Center at East China University of Science and Technology, Shanghai, China. RCSC@ECUST ( <a href="https://rcsc.ecust.edu.cn/">https://rcsc.ecust.edu.cn/</a> )		
Analyst:	Jianwen Chen、Ruoqian Li	Test time:	2024-09-19、2025-03-17
Reporter:	Jianwen Chen、Ruoqian Li	Report time:	2024-09-26、2025-03-26
Reviewer:	Min Sheng	Review time:	2025-06-19
Limits of Applicability:	The testing data generated by the RCSC@ECUST is based on specific samples from a certain supplier. During the testing process, we have made every effort to ensure the reliability of the data, but we still cannot exclude data quality issues caused by supplier differences, sample impurities, deterioration of long-term storage, testing method error, and human error. Therefore, we suggest only using RCSC testing data as a reference, and we do not assume any responsibility for any losses caused by using this data.		
Data Copyright:	Prohibit the sharing of this report on websites outside the Reactive Chemical Safety Center at East China University of Science and Technology. If you have any questions, please contact RCSC@ECUST ( <a href="https://rcsc.ecust.edu.cn/">https://rcsc.ecust.edu.cn/</a> ).		

Chemical Names	1,2-Dinitrobenzene
Synonyms	o-dinitrobenzene
Molecular Formula	C <sub>6</sub> H <sub>4</sub> (NO <sub>2</sub> ) <sub>2</sub>
Hill Notation Formula	C <sub>6</sub> H <sub>4</sub> N <sub>2</sub> O <sub>4</sub>
CAS #	528-29-0
Test	DSC_N2
Notes	1、Glass capillary, 0~400 °C, 10°C/min, Nitrogen headspace 2、Glass capillary, 0~500 °C, 10°C/min, Nitrogen headspace

Detail information of the tested sample:

Project	Development of Reactive Chemical Database for RCSC@ECUST
Sample Description	Yellow crystals
Composition	98%
Chemical Structure	
Supplier	TCI
Storage Information	
Sample Status	Yellow crystals
Other notes	

Testing Result:

1 <sup>st</sup> test					
Instrument: TA DSC X3		DSC crucible: Glass Capillary		Headspace gas: N2	
Tested sample mass: 1.354 mg		Total pre-test mass: 28.721 mg		Total post-test mass: 28.725 mg	
Start Temperature: 0°C		Scan rate: 10°C/min (Twice)		End Temperature: 500°C	
#	Endo/Exo Peak	Onset T (°C)	Peak T (°C)	End T (°C)	Total Heat (J/g)
1	Endotherm	107	119	132	119.52
2	Exotherm	332	404	450	-3624.3 <sup>1</sup>
Notes: <sup>1</sup> , TNT equivalent 0.8662					




Figure 1. DSC Curve with Auto scale, the solid line represents the first scan (with integration); The dashed line represents the second scan




Figure 2. Tested Sample Pictures (original package, tested sample before test and after test)




Figure 3. FTIR Spectrum of the Tested Sample